


## 2.36 Female Adapter

### 05. Fractional Stub x ISO Parallel (F)



Sr. No.	TUBE OD Ø T	ISOP Female Pipe Size P	Ref. Part No.	ØE	L	Body Hex F
Dimensions in Inches						
1	1/8 x 1/8		2FAD 2IP	0.09	1.17	9/16
2	1/4 x 1/8		4FAD 2IP	0.19	1.25	9/16
3	1/4 x 1/4		4FAD 4IP	0.19	1.50	3/4
4	3/8 x 1/4		6FAD 4IP	0.28	1.55	3/4
5	3/8 x 3/8		6FAD 6IP	0.28	1.57	7/8
6	1/2 x 3/8		8FAD 6IP	0.39	1.78	7/8
7	1/2 x 1/2		8FAD 8IP	0.39	1.95	1.1/16

### 06. Metric Stub x ISO Parallel (F)

Sr. No.	TUBE OD Ø T	ISOP Female Pipe Size P	Ref. Part No.	ØE	L	Body Hex F
	(mm)	(in)				
1	3 x 1/8		3MFAD 2IP	1.8	28.6	14
2	3 x 1/4		3MFAD 4IP	1.6	28.6	19
3	4 x 1/8		4MFAD 2IP	2.0	29.4	14
4	6 x 1/8		6MFAD 2IP	4.6	32.0	14
5	6 x 1/4		6MFAD 4IP	4.6	37.8	19
6	8 x 1/4		8MFAD 4IP	6.4	38.1	19
7	10 x 1/4		10MFAD 4IP	7.5	38.9	19
8	10 x 1/2		10MFAD 8IP	7.5	43.7	27
9	12 x 3/8		12MFAD 6IP	9.1	44.5	22
10	12 x 1/2		12MFAD 8IP	9.1	48.4	27
11	16 x 1/2		16MFAD 8IP	12.7	50.0	27
12	18 x 3/4		18MFAD 12IP	14.0	53.2	32
13	20 x 3/4		20MFAD 12IP	15.1	54.0	32
14	25 x 1		25MFAD 16IP	19.8	67.5	41

NOTE : ① The E Dimension is the minimum opening & Fittings of this group may be back drilling to lager ID at pipe thread or straight thread end.  
② ISO Parallel (BSPP) thread as per BS 2779.